HBT300 PRODUCT PROFILE









Specs

Working Voltage	@DC 9V~30V
Display	2.4'Colour
Cable Length	31.5 inches
Working Temperature	-10°C to 55°C
Storage Temperature	-20℃ to 75℃
Dimension	8.19*3.94*1.49 inches
Weight	16.76 oz
Protection	Reverse Polarity Protection
CCA	100-2000
Battery Type	Flooded/AGM/GEL/EFB
Battery Standard	CCA/CA/BCI/MCA/DIN/IEC/EN/SAE/JIS/GB

Function

- 01 Battery Test
- 02 Cranking Test
- O3 Charging Test
- 04 Built-in Printer
- 05 Review Data
- 06 Multi-language



Professional Research & Technology. Professional Results.

Hi-Tec Battery's HBT300 represents our latest refinements in research, testing, and safety - all with you, the pro as well as DIY in mind.



Comprehensive & Versatile Battery Coverage.





Quick Start, Intuitive, Friendly, and Step-by-Step.

FATTERY TYPE


720A

CCA

What more is there to say? Hi-Tec Battery's HBT300 is easy to use even for someone who has never tested batteries before.

It's 2.4" attractive color display also sets it apart from other testers in its class.

What's better than an effective tool? How about one that's always a pleasure to work with?



LANGUAGE



LEZI KEDOKI

%91

AUYL

ADD

YABITAB JAMAON TYPE: Rated: A099

N

EXIL

ENTER

SELECT INPUT:

MEASURED:

% 9 :YHTJA3H

12.46V

VOLTAGE: CHARGE: **BATTERY TEST**


The HBT300 has a built-in printer which can print test results within seconds. Whether you're a professional providing service and documentation, or a meticulous car expert keeping a battery log, we know you'll appreciate printing

Test it & Print it. Have it Ready when you Need it.




Explore More Possibilities with HBT300







DIY Technician



Battery Dealer

What's In the Box

- ☐ HBT300
- Carrying Bag
- User Manual
- □ Printer Paper 3 Rolls







